

Table 1. Non-chinook salmon mortality in BSAI groundfish fisheries.

Year	Annual	Annual	Annual	A season	B season	A season	B season	A season	B season
	with CDQ	without	CDQ only	With CDQ	Without CDQ	Without CDQ	Without CDQ	CDQ only	CDQ only
1991	na	30,262	na	na	na	3,016	27,246	na	na
1992	na	41,450	na	na	na	2,120	39,329	na	na
1993	na	243,270	na	na	na	1,848	241,422	na	na
1994	94,548	83,384	11,165	5,599	88,949	5,291	78,093	309	10,856
1995	21,875	21,290	585	3,033	18,842	2,903	18,387	130	456
1996	78,060	75,801	2,259	665	77,395	619	75,181	45	2,214
1997	66,994	62,765	4,229	2,710	64,285	2,618	60,148	92	4,137
1998	65,697	64,782	915	4,520	61,177	4,432	60,350	88	827
1999	47,132	46,325	807	393	46,739	378	45,947	15	792
2000	59,327	57,621	1,706	350	58,977	283	57,338	67	1,639
2001	60,731	57,440	3,291	2,903	57,828	2,719	54,721	184	3,107
2002	82,483	78,879	3,604	1,698	80,785	1,677	77,202	21	3,583
2003	191,150	182,748	8,402	4,113	187,037	3,876	178,872	237	8,165
2004	450,553	440,142	10,411	1,028	449,525	998	439,144	30	10,381
2005	709,387	700,979	8,408	1,038	708,348	998	699,980	40	8,368
2006	325,181	323,789	1,392	2,311	322,870	2,245	321,544	66	1,326
2007	97,351	90,171	7,180	9,638	87,713	8,475	81,696	1,163	6,017
2008	17,035	16,498	537	516	16,519	443	16,055	73	464
2009	47,508	46,516	992	163	47,345	163	46,353	0	992
2010	14,895	14,365	530	222	14,673	222	14,143	0	530
2011	192,871	188,934	3,937	374	192,497	330	188,604	44	3,893
2012	15	15	0	15	0	15	0	0	0

Table 2. Non-chinook salmon mortality in BSAI pollock directed fisheries.

Year	Annual	Annual	Annual	A season	B season	A season	B season	A season	B season
	with CDQ	without	CDQ only	With CDQ	Without CDQ	Without CDQ	Without CDQ	CDQ only	CDQ only
1991	na	28,951	na	na	na	2,850	26,101	na	na
1992	na	40,274	na	na	na	1,951	38,324	na	na
1993	na	242,191	na	na	na	1,594	240,597	na	na
1994	92,672	81,508	11,165	3,991	88,681	3,682	77,825	309	10,856
1995	19,264	18,678	585	1,708	17,556	1,578	17,100	130	456
1996	77,236	74,977	2,259	222	77,014	177	74,800	45	2,214
1997	65,988	61,759	4,229	2,083	63,904	1,991	59,767	92	4,137
1998	64,042	63,127	915	4,002	60,040	3,914	59,213	88	827
1999	45,172	44,610	562	362	44,810	349	44,261	13	549
2000	58,571	56,867	1,704	213	58,358	148	56,719	65	1,639
2001	57,007	53,904	3,103	2,386	54,621	2,213	51,691	173	2,930
2002	80,782	77,178	3,604	1,377	79,404	1,356	75,821	21	3,583
2003	189,185	180,783	8,402	3,834	185,351	3,597	177,186	237	8,165
2004	440,459	430,271	10,188	422	440,037	395	429,876	27	10,161
2005	704,586	696,876	7,710	595	703,991	563	696,313	32	7,678
2006	309,644	308,430	1,214	1,326	308,318	1,260	307,170	66	1,148
2007	93,786	87,317	6,469	8,523	85,263	7,368	79,949	1,155	5,314
2008	15,269	14,835	434	320	14,949	247	14,588	73	361
2009	46,138	45,188	950	48	46,090	48	45,140	0	950
2010	13,223	12,697	526	40	13,183	40	12,657	0	526
2011	191,446	187,677	3,769	256	191,190	245	187,432	11	3,758
2012	15	15	0	15	0	15	0	0	0

Notes Updated 3/1/12

Starting in 2011, the sampling method for salmon in BSAI pollock directed fisheries changed to census counts

Non-CDQ data for 1991-2002 from bsahalx.dbf

Non-CDQ data for 2003-2011 from akfish_v_gg_pscnq_estimate

CDQ data for 1992-1997 from bsahalx.dbf

CDQ data for 1998 from boatrate.dbf

CDQ data for 1999-2007 from akfish_v_cdq_catch_report_total_catch

CDQ data for 2008-2011 from akfish_v_gg_pscnq_estimate_cdq

A season - January 1 to June 10

B season - June 11 to December 31